

PAD COLOR OPTIONS



White



Grey



Black

PAD FEATURES



Lock at
any position



Quick assembly
system



100mm
PU fixing



Pad slide
adjustment



Pad swivel
adjustment




Slide inward





Pad back and
forth adjustment

One Shape different function




Chuan Hsing can provide custom
pad design service.

Customized pad available



ELASTICITY REDEFINED

bouncing back for *sustainable* tomorrow



CH-219E & CH-219F

Adopting novel structures and materials, while simultaneously balancing comfort in user experience and sustainable needs.



CH-219E

description


Quick assembly fix pad.
TPU arm pad.
Fully recyclable after use.



specifications



technical drawing



■ mm

CH-219F

description


Quick assembly multifunctional pad.
Depth and swivel adjustment.
TPU arm pad.
Fully recyclable after use.



specifications



technical drawing



■ mm

CH-299


description

Inward slide PU Pad

*Available armrest options
in following series :
CH-630,CH-650,CH-680,
CH-690,CH-800

*Patent. US 10932574

features



■mm

CH-219


description

Inward slide PU Pad

*Available armrest options
in following series :
CH-630,CH-650,CH-680,
CH-690,CH-800

*Patent. US 10932574

features



■mm

CH-218


description

Front , back, and sideway adjustments, with lock in any position.

*Available armrest options in following series :
CH-630,CH-650,CH-680,
CH-690,CH-800

*Patent. TW I353822 ,
CN 200810176451.5

features



■mm

CH-288 PU


description

Front , back, and sideway adjustments, with lock in any position.

*Available armrest options in following series :
CH-630,CH-650,CH-680,
CH-690,CH-800

*Patent. TW I353822 ,
CN 200810176451.5

features



■mm


CH-219-1

description

PU fixed Arm Pad



features



■mm

CH-292 PU

description


PU fixed Arm Pad



shipping spec.

36pcs / ctn
9.2kgs / N.W
10.2kgs / G.W
0.76' / cu'ft

features



■mm



CH-215

description

Quick assembly multifunctional pad. Depth and swivel adjustment with lock.

*Patent. TW I604812

TW I634858

US 9700145


US 10143310

DE 102016123076B

CN 201610191004.1

CN 201720493212.7

features



■mm

CH-219-2

description

Quick assembly fix pad.


*Patent. TW I604812

US 9700145

DE 102016123076B

CN 201610191004.1

features



■mm

CH-295 PU

description


Quick assembly multifunctional pad. Depth and swivel adjustment with lock.

*Patent. TW I604812
 TW I634858
 US 9700145
 US 10143310
 DE 102016123076B
 CN 201610191004.1
 CN 201720493212.7



shipping spec.

36pcs / ctn
 12kgs / N.W
 13kgs / G.W
 0.95' / cu'ft



features



CH-296 PU

description


Quick assembly multifunctional pad. Depth and swivel adjustment.

*Patent. TW I604812
 US 9700145
 DE 102016123076B
 CN 201610191004.1




shipping spec.

36pcs / ctn
 12kgs / N.W
 13kgs / G.W
 0.9' / cu'ft



features



■mm

■mm

CH-297 PU

description


Quick assembly fixed pad

*Patent. TW I604812
 US 9700145
 DE 102016123076B
 CN 201610191004.1



shipping spec.

36pcs / ctn
 14.5kgs / N.W
 15.5kgs / G.W
 0.82' / cu'ft



features



■mm

CH-298 PU

description


Quick assembly sliding pad

*Patent. TW I604812
 US 9700145
 DE 102016123076B
 CN 201610191004.1



shipping spec.

36pcs / ctn
 12kgs / N.W
 13kgs / G.W
 0.9' / cu'ft



features



■mm

Armpad

CH-31

description

TPU arm pad


Fully recyclable after use

*Patent. TW M366343



shipping spec.

36pcs / ctn
6.3kgs / N.W
7.3kgs / G.W
0.84' / cu'ft



■mm

CH-32

description

PP Arm pad


Fully recyclable after use



shipping spec.

36pcs / ctn
4.32kgs / N.W
5.32kgs / G.W
0.64' / cu'ft

features



■mm

CH-291 PU

description


PU fixed Arm Pad



shipping spec.

36pcs / ctn
6.5kgs / N.W
7.5kgs / G.W
0.85' / cu'ft

features



■mm

SP-002

description


PU sliding Pad



shipping spec.

40pcs / ctn
15.2kgs / N.W
16.2kgs / G.W
1.39' / cu'ft

features



■mm

SP-003

description


PU sliding Pad



shipping spec.

40pcs / ctn
15.2kgs / N.W
16.2kgs / G.W
0.86' / cu'ft

features



■mm

CH-282 PU

description


PU Arm Pad



shipping spec.

40pcs / ctn
8.6kgs / N.W
9.6kgs / G.W
0.84' / cu'ft

features



■mm

SP-005

description


PU sliding Pad



shipping spec.

40pcs / ctn
16.3kgs / N.W
17.3kgs / G.W
1.18' / cu'ft

features



■mm

CH-289 PU

description


PU fixed Arm Pad



shipping spec.

40pcs / ctn
9.52kgs / N.W
10.52kgs / G.W
0.98' / cu'ft

features



■mm

Armpad

CH-283 PU


description

Front , back, and sideway adjustments, with lock in any position.



shipping spec.

16pcs / ctn
5.4kgs / N.W
5.9kgs / G.W
0.95' / cu'ft



features



■mm

CH-278 PU


description

PU Arm Pad



shipping spec.

40pcs / ctn
15kgs / N.W
16kgs / G.W
1.39' / cu'ft



features



■mm

CH-203 PU


description

PU Arm Pad



shipping spec.

40pcs / ctn
11kgs / N.W
12kgs / G.W
1.5' / cu'ft



features



■mm

CH-263 PU


description

PU Arm Pad



shipping spec.

40pcs / ctn
15kgs / N.W
16kgs / G.W
1.8' / cu'ft



features



■mm

CH-267 PU

description


PU Arm Pad



shipping spec.

40pcs / ctn
11.7kgs / N.W
12.7kgs / G.W
1.7' / cu'ft

features



■mm

CH-276 PU

description


PU Arm Pad



shipping spec.

40pcs / ctn
11kgs / N.W
12kgs / G.W
1.47' / cu'ft

features



■mm

CH-269 PU

description


PU Arm Pad



shipping spec.

40pcs / ctn
12kgs / N.W
13kgs / G.W
1.6' / cu'ft

features



■mm

CH-272

description


PU Arm Pad



shipping spec.

40pcs / ctn
12kgs / N.W
13kgs / G.W
1.2' / cu'ft

features



■mm

Sales Contact

Tony

tony.tsai@chsing.com

Heidi

heidi.wu@chsing.com

Joy

joy.pan@chsing.com

Annie

annie.chao@chsing.com
